

In the Claims

Claims 21-38 are allowed.

Please cancel claims 9-10 and 20 without prejudice.

5 Please amend claims 1, 7, 11, and 19 as shown herein.

Please add new claims 39-51 as shown herein.

Claims 1-8, 11-19, and 21-51 are pending and are listed following:

1. (currently amended) A label display system, comprising:
- 10 a foldable label base attached to a portable computing device ~~configured~~ to display labels for a the portable computing device, ~~and~~ the foldable label base configured to be unfolded into a first position and folded into a second position, the labels being viewable in the first position and at least some of the labels being concealed from view in the second position; and
- 15 a label display cover configured to engage the portable computing device and secure the foldable label base in the folded second position into a recess in the portable computing device.

2. (original) A label display system as recited in claim 1,
- 20 wherein the foldable label base includes a first side to display one or more of the labels and a second side to display one or more of the labels.

3. (original) A label display system as recited in claim 1,
- wherein the foldable label base is configured to display regulatory labels.

25

4. (original) A label display system as recited in claim 1, wherein the foldable label base is configured to display certification marking labels.

5 5. (original) A label display system as recited in claim 1, wherein the foldable label base is permanently attached to the portable computing device.

6. (original) A label display system as recited in claim 1,
10 wherein the foldable label base is collapsible into the second position.

7. (currently amended) A label display system as recited in claim 1, wherein the foldable label base is collapsible into a the recess in the portable computing device.

15

8. (original) A label display system as recited in claim 1, wherein the foldable label base is expandable to the first position.

9. (canceled)

20

10. (canceled)

11. (currently amended) A label display system, comprising:
a foldable label base attached to an electronic device ~~configured~~ to
display required labels for ~~an~~ the electronic device; ~~and~~ the foldable label base
configured to be unfolded into a first position and folded into a second position,
5 the required labels being viewable in the first position and at least some of the
required labels being concealed from view in the second position; and
a label display cover configured to engage the electronic device and
secure the foldable label base in the folded second position.

10 12. (original) A label display system as recited in claim 11,
wherein the foldable label base includes a first side to display one or more of
the required labels and a second side to display one or more of the required
labels.

15 13. (original) A label display system as recited in claim 11,
wherein the foldable label base is configured to display regulatory labels.

14. (original) A label display system as recited in claim 11,
wherein the foldable label base is configured to display certification marking
20 labels.

15. (original) A label display system as recited in claim 11,
wherein the foldable label base is permanently attached to the electronic
device.

25 16. (original) A label display system as recited in claim 11,
wherein the foldable label base is collapsible into the second position.

17. (original) A label display system as recited in claim 11, wherein the foldable label base is collapsible into a recess in the electronic device.

5

18. (original) A label display system as recited in claim 11, wherein the foldable label base is expandable to the first position.

19. (currently amended) A label display system as recited in claim 11, ~~further comprising a~~ wherein the label display cover is further configured to engage the electronic device and secure the foldable label base in the second position into a recess in the electronic device.

15

20. (canceled)

21. (original) A method, comprising:
attaching labels for a portable computing device to a foldable label base;
the foldable label base being moveable between a first position and a second position, wherein the labels are viewable in the first position and at least some of the labels are concealed from view in the second position.

20

22. (original) A method as recited in claim 21, wherein attaching includes attaching one or more of the labels to a first side of the foldable label base, and attaching one or more of the labels to a second side of the foldable label base.

25

23. (original) A method as recited in claim 21, wherein attaching
includes attaching regulatory labels.

24. (original) A method as recited in claim 21, wherein attaching
5 includes attaching certification marking labels.

25. (original) A method as recited in claim 21, further comprising
collapsing the foldable label base into the second position.

10 26. (original) A method as recited in claim 21, further comprising
collapsing the foldable label base into a recess in the portable computing
device.

27. (original) A method as recited in claim 21, further comprising
15 expanding the foldable label base into the first position.

28. (original) A method as recited in claim 21, further comprising
engaging the portable computing device with a label display cover, and
securing the foldable label base in the second position.

20

29. (original) A method as recited in claim 21, further comprising
collapsing the foldable label base into the second position, and engaging the
portable computing device with a label display cover to secure the foldable
label base in the second position.

25

30. (original) A method, comprising:
displaying required labels for an electronic device on a foldable label
base;

the foldable label base being moveable between a first position and a
5 second position, wherein the required labels are displayed in the first position
and at least some of the required labels are concealed from display in the
second position.

31. (original) A method as recited in claim 30, wherein
10 displaying includes displaying one or more of the required labels on a first side
of the foldable label base, and displaying one or more of the required labels on
a second side of the foldable label base.

32. (original) A method as recited in claim 30, wherein
15 displaying includes displaying regulatory labels.

33. (original) A method as recited in claim 30, wherein
displaying includes displaying certification marking labels.

20 34. (original) A method as recited in claim 30, further comprising
collapsing the foldable label base into the second position.

35. (original) A method as recited in claim 30, further comprising
collapsing the foldable label base into a recess in the electronic device.
25

36. (original) A method as recited in claim 30, further comprising
expanding the foldable label base into the first position.

37. (original) A method as recited in claim 30, further comprising engaging the electronic device with a label display cover, and securing the foldable label base in the second position.

5

38. (original) A method as recited in claim 30, further comprising collapsing the foldable label base into the second position, and engaging the electronic device with a label display cover to secure the foldable label base in the second position.

10

Please add new claims 39-51 as follows:

39. (new) A portable computing device, comprising:

15 a label display system attached to the portable computing device to display labels, the label display system configured to be unfolded such that the labels are viewable and further configured to be folded such that at least some of the labels are concealed from view; and

a recess in the portable computing device configured to house the label display system when folded.

20

40. (new) A portable computing device as recited in claim 39, further comprising a label display cover configured to engage the recess and secure the label display system in the recess.

41. (new) A portable computing device as recited in claim 39, wherein the label display system includes a label display cover configured to engage the recess and secure the label display system in the recess.

5 42. (new) A portable computing device as recited in claim 39, wherein the label display system includes a first side to display one or more of the labels and a second side to display one or more of the labels.

43. (new) A portable computing device as recited in claim 39,
10 wherein the label display system is further configured to display regulatory labels and certification marking labels.

44. (new) A portable computing device as recited in claim 39, wherein the label display system is collapsible when folded.

15

45. (new) A portable computing device as recited in claim 39, wherein the label display system is expandable when unfolded.

46. (new) An electronic device, comprising:
20 a foldable label base attached to the electronic device to display labels, the foldable label base configured to be unfolded such that the labels are viewable and further configured to be folded such that at least some of the labels are concealed from view; and

a recess in the electronic device configured to house the foldable label
25 base when folded.

47. (new) An electronic device as recited in claim 46, wherein the foldable label base includes a label display cover configured to engage the recess and secure the foldable label base in the recess.

5 48. (new) An electronic device as recited in claim 46, wherein a section of the foldable label base functions as a label display cover configured to engage the recess and secure the foldable label base in the recess.

49. (new) An electronic device as recited in claim 46, wherein the
10 foldable label base includes a first side to display one or more of the labels and a second side to display one or more of the labels.

50. (new) An electronic device as recited in claim 46, wherein the
15 foldable label base is further configured to display regulatory labels and certification marking labels.

51. (new) An electronic device as recited in claim 46, wherein the label display system is collapsible when folded and expandable when unfolded.